



INNOVATIVE BY DESIGN

 **SANREMO**
MACCHINE PER CAFFE' ESPRESSO


PORTFOLIO



UK
BARISTA
CHAMPIONSHIPS



ROMA TCS



UK
BARISTA
CHAMPIONSHIPS



FEATURES

- Multiple temperature control boilers ($\pm 0.5^{\circ}\text{C}$)
- Espresso shot timer
- Programmable pre-infusion
- On-off timer
- Auto backflush cleaning facility
- Fresh water for tea
- Detailed audit trail
- Illuminated panels & down lights
- Triple level boiler safety systems
- Cup heater
- On request
 - Turbo steam
 - External high volume pump

		2 Group	3 Group
Width	mm	850	1080
Depth	mm	560	560
Height	mm	555	555
Voltage	v	230	230
Steam Boiler Capacity	L	8,6	8,6
Steam Boiler Power	kW	2,95	2,95
TCS Boiler Power	kW	2	3
Total Power	kW	5,35	6,40
Net Weight	kg	88	111

Verona TCS



UK
BARISTA
CHAMPIONSHIPS



FEATURES

- Multiple temperature control boilers ($\pm 0.5^{\circ}\text{C}$)
- Espresso shot timer
- Programmable pre-infusion
- On-off timer
- Auto backflush cleaning facility
- Fresh water for tea
- Detailed audit trail
- Triple level boiler safety systems
- Cup heater
- Double scale pressure gauge
- On request
 - Turbo steam
 - External high volume pump

		2 Group	3 Group	4 Group
Width	mm	820	1020	1320
Depth	mm	610	610	610
Height	mm	590	590	590
Voltage	v	230	230	230
Steam Boiler Capacity	L	8,6	14	14
Steam Boiler Power	kW	2,95	2,95	2,95
TCS Boiler Power	kW	2	3	4
Total Power	kW	5,15	6,15	7,15
Net Weight	kg	68	85	109

ALL MACHINES SUPPLIED 230V SINGLE PHASE. 400V THREE PHASE AVAILABLE ON SPECIAL ORDER

*DENOTES STANDARD STOCK

Verona SED



FEATURES

- Large capacity boiler
- Espresso shot timer
- Programmable pre-infusion
- On-off timer
- Auto backflush cleaning facility
- Detailed audit trail
- Triple level boiler safety systems
- Double scale pressure gauge
- On request
 - Turbo steam
 - External high volume pump
 - Cup heater

		2 Group	3 Group	4 Group
Width	mm	820	1020	1320
Depth	mm	610	610	610
Height	mm	590	590	590
Voltage	v	230	230	230
Boiler Capacity	L	14	19	22
Boiler Power	kW	4,90*/2,95	5,60	5,60
Total Power	kW	5,10*/3,15	5,80	5,80
Net Weight	kg	68	85	109

Verona TALL TCS



UK
BARISTA
CHAMPIONSHIPS



FEATURES

- Multiple temperature control boilers ($\pm 0.50^{\circ}\text{C}$)
- Espresso shot timer
- Programmable pre-infusion
- On-off timer
- Auto backflush cleaning facility
- Fresh water for tea
- Detailed audit trail
- Triple level boiler safety systems
- Cup heater
- Double scale pressure gauge
- On request
 - Turbo steam
 - External high volume pump

		2 Group	3 Group
Width	mm	820	1020
Depth	mm	610	610
Height	mm	650	650
Voltage	v	230	230
Steam Boiler Capacity	L	8,6	8,6
Steam Boiler Power	kW	2,95	2,95
TCS Boiler Power	kW	2	3
Total Power	kW	5,15	6,10
Net Weight	kg	78	98

ALL MACHINES SUPPLIED 230V SINGLE PHASE. 400V THREE PHASE AVAILABLE ON SPECIAL ORDER

*DENOTES STANDARD STOCK

Verona TALL SED



FEATURES

- Large capacity boiler
- Espresso shot timer
- Programmable pre-infusion
- On-off timer
- Auto backflush cleaning facility
- Detailed audit trail
- Triple level boiler safety systems
- On request
 - Turbo steam
 - External high volume pump
 - Cup heater

		2 Group	3 Group
Width	mm	820	1020
Depth	mm	610	610
Height	mm	650	650
Voltage	v	230	230
Boiler Capacity	L	14	19
Boiler Power	kW	4,90*/2,95	5,60
Total Power	kW	5,10*/3,15	5,80
Net Weight	kg	75	95

TORINO SED



FEATURES

- Large capacity boiler
- Selectable pre-infusion
- Auto backflush cleaning facility
- Independent gauges:
 - Boiler pressure
 - Water/pump pressure
 - Coffee water temperature
- On request
 - External high volume pump
 - Cup heater

		2 Group	3 Group	4 Group
Width	mm	780	1010	1320
Depth	mm	590	590	610
Height	mm	580	580	590
Voltage	v	230	230	230
Boiler Capacity	L	12	19	22
Boiler Power	kW	4,90*/2,95	5,60	5,60
Total Power	kW	5,10*/3,15	5,80	5,80
Net Weight	kg	63	81	109

ALL MACHINES SUPPLIED 230V SINGLE PHASE. 400V THREE PHASE AVAILABLE ON SPECIAL ORDER

*DENOTES STANDARD STOCK

MILANO



FEATURES

- Built-in pump
- Double-scale pressure gauge
- LED power indicator
- Automatic water
- Twin steam arms
- On request
 - External high volume pump
 - Cup heater

		1 Group	2 Group	3 Group
Width	mm	485	640	870
Depth	mm	500	500	500
Height	mm	535	535	535
Voltage	v	230	230	230
Boiler Capacity	L	4,5	8,6	14
Boiler Power	kW	2,15	2,95*/4,90	5,60
Total Power	kW	2,35	3,15*/5,10	5,80
Net Weight	kg	39	56	74

ZOE



FEATURES

- Unique monocoque construction
- Selectable pre-infusion
- Auto backflush cleaning facility
- Double scale pressure gauge
- Built-in volumetric pump
- Twin steam arms
- Two steam wands
- Boiler capacity 10L (2 groups)
- On request
 - External high volume pump
 - Cup heater

		1 Group	2 Group	3 Group
Width	mm	530	720	950
Depth	mm	528	528	528
Height	mm	537	537	537
Voltage	v	230	230	230
Boiler Capacity	L	4,5	10	14
Boiler Power	kW	2,15	2,95*/4,90	5,60
Total Power	kW	2,35	3,15*/5,10	5,80
Net Weight	kg	41	55	69

ALL MACHINES SUPPLIED 230V SINGLE PHASE. 400V THREE PHASE AVAILABLE ON SPECIAL ORDER

*DENOTES STANDARD STOCK

AMALFI



FEATURES

- Selectable pre-infusion
- Auto backflush cleaning facility
- Foldaway cup rest
- Double scale pressure gauge
- Twin steam arms
- On request
 - External high volume pump
 - Cup heater

2 Group

Width	mm	645
Depth	mm	525
Height	mm	600
Voltage	v	230
Boiler Capacity	L	12
Boiler Power	kW	4,90*/2,95
Total Power	kW	5,10*/3,15
Net Weight	kg	56

CAPRI



FEATURES

- Selectable pre-infusion
- Auto backflush cleaning facility
- Double scale pressure gauge
- Twin steam arms
- Double steam taps
- On request
 - External high volume pump
 - Cup heater

1 Group

2 Group

Width	mm	525	590
Depth	mm	485	485
Height	mm	535	535
Voltage	v	230	230
Boiler Capacity	L	4,5	10
Boiler Power	kW	2,15	2,95*/4,90
Total Power	kW	2,35	3,15*/5,10
Net Weight	kg	38	49

ALL MACHINES SUPPLIED 230V SINGLE PHASE. 400V THREE PHASE AVAILABLE ON SPECIAL ORDER

*DENOTES STANDARD STOCK

TREVISO/LX



TREVISO FEATURES

- Lever operator
- Hot water
- Steam arm
- Single pressure gauge
- LED power indicator
- Electronic automatic level

TREVISO LX FEATURES

- Plumbing hook-up
- Rotating pump

		Treviso	Treviso LX
Width	mm	325	325
Depth	mm	470	470
Height	mm	430	430
Voltage	v	230	230
Boiler Power	kW	1,30	1,50
Total Power	kW	1,50	1,70
Net Weight	kg	21	23

PORTOFINO



FEATURES

- Professional machine with capsules
- Two exchangers dedicated to the supply of coffee
- Dedicated steam boiler
- Volumetric pump 50 Ltrs/hr
- Mains water connection
- Energy saving when one brewer is used independently
- On Request
- Cup Heater

		2 Group
Width	mm	425
Depth	mm	485
Height	mm	535
Voltage	v	230
Boiler Capacity	L	3,3
Boiler Power	kW	1,30
Total Power	kW	3,00
Net Weight	kg	38

ALL MACHINES SUPPLIED 230V SINGLE PHASE. 400V THREE PHASE AVAILABLE ON SPECIAL ORDER

*DENOTES STANDARD STOCK

ACCESSORIES



Knock Out Drawer




Tamper



Shot Glass



Filters



GRINDER RANGE - ON DEMAND GRINDERS

The complete range of professional Coffee Grinders from Sanremo. From the SRJ Junior, perfect for small or decaf use, through the premium SR50A to the high capacity SR83 Grande and SR70 Evo.

Sanremo Grinders		SR50-0D	SR70 Evo	SR83E	SR63EK	SR71EK
Width	mm	230	230	230	230	230
Depth	mm	270	270	270	270	270
Height	mm	610	610	610	655	655
Net Weight	kg	14	14	20	35	35
Voltage	V	230	230	230	230	230
Hopper Capacity	kg	1.5	1.5	1.5	1.5	1.5
Motor Power	W	350	350	650	650	850
Blade Dia.	mm	64	64	83	63	71



SR50-0D

- Body as per SR50A
- Push button electronic dosing
- Reduces wastage
- Stepless micrometric grind adjustment
- Fresh, accurate dosing every shot
- Electronic audit data
- Colour: Black



SR70 Evo

- Market Leading Technology
- As per SR50-0D plus...
- 7g in 2.2 seconds
- Fan cooling system
- Immediate, accurate, fresh and fast
- Electronic audit data
- Colour: Black



SR83E

- Specified to 900 coffees (7KG) a day
- Heavy duty cast with enamel finish
- 7g in 2 seconds
- Low revs, low heat
- Motor cooling fan
- Stepless adjustment
- Colour: Black



SR63EK (Conical)

- Specified to 1,500 (12KG) coffees a day
- Stepless micrometric adjustment
- Heavy duty cast with enamel finish
- Low revs, low heat
- Motor cooling fan
- Stepless adjustment
- 1200KG blade life
- Colour: Black



SR71EK (Conical)

- Specified to 2,100 coffees (15KG) a day
- Heavy duty cast with enamel finish
- 7g in 2 seconds
- Low revs, low heat
- Motor cooling fan
- Stepless adjustment
- 2000 KG Blade life
- Colour: Black

GRINDER RANGE - AUTOMATIC GRINDERS

Sanremo Grinders		SR50 Eco	SR50A	SR83 Grande	SR63K	SR71K	SRJ
Width	mm	230	230	230	230	230	150
Depth	mm	270	270	270	270	270	260
Height	mm	610	610	655	655	655	360
Net Weight	kg	14	14	20	35	35	5.6
Voltage	V	230	230	230	230	230	230
Hopper Capacity	kg	1.5	1.5	1.5	1.5	1.5	0.25
Motor Power	W	350	350	650	650	850	100
Blade Dia.	mm	64	64	83	63	71	50



SR50 Eco

- Heavy cast body with textured finish
- Stepless micrometric grind adjustment
- Easy touch dose adjustment
- Auto refill
- Super smooth dosing action
- Counter
- Colour: Dark Anthracite



SR50A (Automatic)

- Heavy cast body with enamel finish
- Stepless micrometric grind adjustment
- Easy touch dose adjustment
- Automatic refill
- Super smooth dosing action
- Stainless steel grout tray
- Counter
- Colours: Pearl, Blue, White, Silver, Red, Polished



SR83 Grande

- Essential spec' for 500+ coffees a day
- Ideal for large sites (4kg + per day)
- Super cooling vents protect coffee
- Heavy cast body with enamel finish
- Stepless micrometric grind adjustment
- Easy touch dose adjustment
- Automatic refill and counter
- Stainless steel grout tray
- Colour: Black



SR63K

- Specified to 1,500 (12KG) coffees a day
- Stepless micrometric adjustment
- Heavy duty cast with enamel finish
- Low revs, low heat
- Motor Cooling fan
- Stepless adjustment
- 1200KG blade life
- Colour: Black



SR71K

- Specified to 2,100 coffees (15KG) a day
- Heavy duty cast with enamel finish
- Low revs, low heat
- Motor cooling fan
- 2000 KG blade life
- Stepless adjustment
- Colour: Black



SRJ (Junior)

- Ideal for decaf or small throughput
- Fully adjustable dose and grind settings
- Manual switch
- Colour: Black



SANREMO UK Ltd.
Unit 5 Mardle Way Business Park
Buckfastleigh, Devon TQ11 0JL
Tel: 00 44 (0)1364 644445
Fax: 00 44 (0)1364 644497

info@sanremouk.com
www.sanremouk.com

 Sanremo UK  @Sanremouk  Sanremo UK Ltd



UK
BARISTA
CHAMPIONSHIPS

